

透气窗技术手册

Plantation Shutter Technical Manual

华升实业

HUASHENG INDUSTRY



目录 Catalog

点击目录内容，可直接跳转指定的页面

Click on the directory content to directly jump to the specified page

华升实业	1
目录 Catalog	3
桐木原材介绍 About Paulownia Raw Materials	4
定制通用基础信息 Customized General information	5
生产周期 Lead Time	8
透气窗类型 Shutter Types	9
不同材料透气窗的规格对比表 Specification Comparison Sheet in Different Shutter Materials	11
木质成品组件导航 Wooden Component Guide	15
PVC 成品组件导航 PVC Component Guide	26
透气窗颜色 Shutter Color	31
拉杆选项 Tilt Rod Option	35
色卡样 Color sample	37
样品箱款式 Sample box style	38
样品箱内部 Sample box details	39
五金 Hardware	40
滑道透气窗 Track Shutters	47
天窗透气窗 Skylight Shutter	61
透气窗固定安装 Fixed Panel	62
配套设置 Supporting settings	63
包装展示 Package	67
海湾窗测量 Measurement bay shutter	68
芯板窗 Solid Panel	69
蜂巢帘 Blackout blinds & 防蚊纱窗 Screen Shade	70
平板叶片 Flat louver /Blockout louver shutter	74
边框安装孔示意图 Schematic diagram of frame installation holes	75
折叠窗上滑道安装孔位置图 Bi-fold window top rail installation holes position	76
钢印和纸箱唛头 Steel stamp & Shipping label	77
拱形窗起拱方式和圆形打开方式 Arch design method&Circle shaped layout	79
铝合金透气窗 Aluminium shutter	80
法式门 French door	85
免打孔透气窗 No-screw shutter	87
异形窗的测量 Special shapes measure guide	90
安装案例 Installation case	91
产品质保 Shutter Warranty	92
订单表格 Regular Shutter Order Form	95
华升的技能教学视频链接 Our skills teaching Video Link	97

桐木原材介绍 About Paulownia Raw Materials



1. Introduction:

Paulownia is one of the most important commercial trees in China, it is indigenous to China, and later being introduced into Europe, North America and Australia.

2. Benefits:

- 1) Material Rich. Paulownia trees are extremely fast growing, and can be harvested in 8-15 years for valuable timber. This tree can be intercropped with food crops resulting in increased yields, used for windbreaks, shelterbelts, soil erosion abatements, reclamation, ornamental plantings, and honey.
- 2) Price stable. Because of the rich material and the trees fast growing, the paulownia wooden and paulownia blinds components can keep stable price into market.
- 3) Soft hardwood and Light physical weight. Paulownia raw material weight about 320Kg/CBM.
- 4) Work for brushed color, because of the soft and light, it can be produced in brushed effected color which similar as Abachi wood raw grain.
- 5) Easy to work with all tools, easy to lift and install for wooden blinds, and convenient for delivery.
- 6) Paulownia wood structure very stable to make wooden blinds and plantation shutters for Building, Furniture, Decorative mouldings, Cabinets and Framing materials.

定制通用基础信息 Customized General information


一 提供制作尺寸 Supply made size

1 请向工厂提供外装尺寸或者内装尺寸；外装是正常尺寸，内装需要扣减尺寸。

Please supply outside size or inside size : outside size is normal size, inside size need reduce size.

2 透气窗缝隙示意，标准 2.5mm, Gaps for Plantation Shutters. (Standard 2.5mm)

透气窗缝隙标准示意图



3 定制透气窗的最大最小高度和宽度规定。

The Max Width/ Height and Min Width / Height regulations for Customized shutter.

质保范围内高度宽度规定 Height and width regulations within the warranty scope			
最大宽度 Max Width	850mm	最小宽度, 加收 5%费用 Min Width 5% premium	200mm (Slats 130mm)
最大高度 Max Height	1800mm	最小高度 Min Height	210mm
加中板最大高度 Max Height with midrail	高度超过 1500mm, 必须加 1 个中板 At least 1 mid rail is required for more than 1500mm		
	高度超过 2500, 必须加 2 个中板 At least 2 mid rail is required for more than 2500mm		
	高度超出 3000mm, 工厂接受定制, 但不质保, 需要客户自己承担。 If the height exceeds 3000mm, the factory accepts customization, but does not guarantee the quality, which needs to be borne by the customer		

4 定制透气窗的高度宽度和中板位置的误差规定。

The Width & Height & Mid-rail error regulations for Customized shutter.

①宽度误差 Width error

2 扇透气窗宽度误差为±1mm; The width error of 2 pannel shutter can be±1mm;

4 扇透气窗宽度误差为±2mm; The width error of 4 pannel shutter can be±2mm;

4 扇以上透气窗宽度误差为±3mm; The width error of pannel (>4) shutter can be±3mm;

②高度误差 Height error

透气窗制作高度是订单高度的±1.5mm。例：订单高度是1600mm，制作高度为1600±1.5mm。

The height error of shutter made size is ±1.5mm. Case: order height is 1600mm, the made size is 1600±1.5mm.

③中板锁定 Mid-rail location

中板标准尺寸是76.2mm，窗扇高度大于1500mm，需要加至少1个中板。中板位置为“窗扇底部到中板中心”的高度。客户可以指定中板的位置（1扇窗只能指定1个），指定位置将根据叶片的尺寸向上/下调整。调整规则如下：

Mid-rail standard size is 76.2mm, when pannel height > 1500mm, at least 1 mid-rail is required. Mid-rail position is "from the bottom of pannel to the center of mid-rail". Customer just can specify 1 mid-rail positions. Specify position will upward /downward adjustment according to the louver size. The rules are as follows:

63.5mm Blade:	+/- 25.4mm
76mm Blade:	+/- 31.75mm
88.9mm Blade:	+/- 38.1mm
114mm Blade:	+/- 50.8mm

※客户必须在备注框中明确指出哪个窗户需要相同的中板/上板/下板高度。

Customer must clearly specify which windows require the same mid rail or top and bottom rail height in the special requirement box.

※如果客户对于上/下板的宽度有特殊要求，请在下单或者确认图纸的时候告知。

If customer have the special requirement about the width of Top and Bottom Rail, please tell us when you put the order or confirm the drawing.

※PVC材质的透气窗，上/下板最大宽度是178mm，最小宽度是76mm。

For PVC shutter, the max width for top/bottom rail is 178mm and min width will be 76mm.

透气窗的上下板，中板的宽度范围 The width range for Top/bottom/Mid rail of shutter			
无中板，上/下板宽度相同 Without Mid-rail, the top/bottom rail are same width		有中板，上/下板宽度相同 With Mid-rail, the top/bottom rail are different width	
最小宽度 Min width	76.2mm	最小宽度 Min width	76.2mm
最大宽度 Max width	2.5" louver, 76.2mm+2"=127mm	最大宽度 Max width	2.5" louver, 76.2mm+2.5"=139.7mm
	3.0" louver, 76.2mm+2.5"=139.7mm		3.0" louver, 76.2mm+3"=152.4mm
	3.5" louver, 76.2mm+3"=152.4mm		3.5" louver, 76.2mm+3.5"=177.8mm
	4.5" louver, 76.2mm+4"=177.8mm		4.5" louver, 76.2mm+4.5"=190.5mm


二 修改和取消 Cancellation & Modification

1 由于我们按照订单中的内容制造定制透气窗，一旦提交订单，客户将对订单负责。如果需要更改或者取消，订单未安排生产之前，都可以，一旦开始生产，需要根据生产的程度计算出一定的费用。

As we manufacture customized shutter according to the content of the order, once the order is submitted, the customer will be responsible for the order. If changes or cancellations are needed, they can be made before the order is scheduled for production. Once production begins, a certain fee needs to be calculated based on the completion status.

2 基准：对于在自然日光下肉眼在 1.2 米距离处可见的缺陷，如标记、点等，视为不合格。因此，如果在这些条件下不可见，则是我们的验收基准。小节点和纹理图案区域是木材饰面的自然艺术，不被视为缺陷。

Benchmark:For imperfections such as marks,dots etc,which are visible with the naked eye in natural daylight, at a distance of 1.2 meters,are deemed Unacceptable,hence, this is our benchmark for acceptance if it is not visible within those conditions.Small knots and grain pattern areas are a natural art of timber finishes and are not considered as imperfections.



生产周期 Lead Time		
白色方形透气窗	White square shutter	8 days
额外带小条白色方形透气窗	White square shutter with extra batten	10 days
染色/拉丝/覆盖色异形	Stain / Brushed / standard color shaped	14 days
全封闭/擦色 颜色	Totally closed / Wiping the stain color	20 days
染色异形窗	Stain color shaped shutter	21 days

透气窗类型 Shutter Types

SHUTTER TYPES




Full Height Shutters

A practical and elegant window treatment, full-height shutters help you keep your room cool when it's hot outside and warm when it's cold, as well as providing extra security, privacy and soundproofing.

Tier on Tier Shutters

Tier-on-tier window shutters give complete window coverage while letting you open the slats of the top and bottom halves independently. You can enjoy light and privacy in any combination you choose.




Cafe Style Shutters

Designed to cover only the lower half of your window, cafe style shutters are a stylish choice for anybody who wants to prevent passersby from peering into your living spaces while still letting in plenty of light.



Track Shutters

Track shutters can be fitted to your space in one of two ways. With the by-pass system, panels glide past each other on their own tracks, whilst with the bi-fold, they simply fold out of the way.



SHUTTER TYPES




Bay Shutters

Perfect bay window shutters make the most of the natural light and privacy. Window shutters maximise the space inside your room while adding a layer of insulation.

Special Shape Shutters

Whatever the peculiar shape of your window or doorway, we'll custom-make a hardwood shutter to fit it. Arches, hexagons, circles, triangles, sunbursts, irregular angles - the list goes on.



Additional Products



Shutter With Blackout Blinds

A blackout blinds can be ordered to fit behind our plantation shutters, allowing you to achieve total room darkness. Ideal for bedrooms, media rooms or nurseries. The honeycomb design completely blocks out the light with each cell having an internal foil wrap, creating both light block out and thermal insulation. The insulating characteristics help keep the heat out in summer and the warmth in during winter.

Shutter With Screen Shade

Screen Shade With Shutter is a special gauze mesh installed on the window, the main purpose of which is to prevent mosquitoes and other insects from entering the room, while maintaining ventilation.

Our R&D team will develop more products...






不同材料透气窗的规格对比表

Specification Comparison Sheet in Different Shutter Materials

常规信息 General Information		材质 Shutter Material		
材质 Material	桐木 Paulownia wood	椴木 Basswood	PVC PVC	铝 Aluminium
可用范围 Application	室内, 非潮湿区域 Indoor, non-wet areas	室内, 非潮湿区域 Indoor, non-wet areas	室内, 潮湿区域 Indoor, wet areas	室内, 室外, 潮湿地区 Indoor and Outdoor, wet areas
颜色选项 Colour Options				
覆盖色 Painted Color	8个常规色 8 regular colors	8个常规色 8 regular colors	8个常规色 8 regular colors	5个常规色 5 regular colors
染色 Stain Color	11个常规色 11 regular colors	N/A	N/A	N/A
拉丝色系 Brushed Effect Color	4个常规色 4 regular colors	N/A	N/A	N/A
定制覆盖色 Custom Paint Color	支持 Available	支持 Available	支持 Available	支持 Available
叶片规格 Louver Options(mm)	63/76/89/114	63/76/89/114	63/76/89/114	89
竖柱规格 Stile Options	珠状/平面 Beaded / Flat	珠状/平面 Beaded / Flat	珠状/平面 Beaded / Flat	只有珠状 Beaded only
拉杆规格 Tilt Rod Option				
隐藏拉杆 Clearview Tilt Rod	支持 Available	支持 Available	支持 Available	支持 Available
中心拉杆 Center Tilt Rod	支持 Available	支持 Available	支持 Available	N/A
偏移拉杆 Off set tilt rod	支持 Available	支持 Available	支持 Available	N/A
内置拉杆 Concealed Tilt Rod	支持 Available	支持 Available	支持 Available	N/A
拉杆断开规定数量 Split Control(MAX.Louver QTY)				
隐藏拉杆 Clearview Tilt Rod	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	88.9mm-12pcs
中心拉杆 Center Tilt Rod	63.5mm-23pcs 76.2mm-23pcs	63.5mm-23pcs 76.2mm-23pcs	63.5mm-23pcs 76.2mm-23pcs	88.9mm-20pcs






	88.9mm-20pcs 114.3mm-17pcs	88.9mm-20pcs 114.3mm-17pcs	88.9mm-20pcs 114.3mm-17pcs	
内置拉杆 Concealed Tilt Rod	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	63.5mm-14pcs 76.2mm-14pcs 88.9mm-12pcs 114.3mm-10pcs	88.9mm-12pcs
电机 Motors	支持 Available	支持 Available	支持 Available	支持 Available (120 degree)
窗扇最大宽度 Panel Max.Width(mm)				
合页窗扇 Hinged Panel	850	900	850	1000
合页折叠窗扇 Double Hinged Panels on one open direction	总计 950 Total 950	总计 950 Total 950	总计 950 Total 950	总计 950 Total 950
固定窗扇 Fixed Panel	850	900	900	1200
滑道折叠窗扇 Bifold Panel	650	650	650	650
滑道窗扇 Sliding Panel	850	900	900	1200
带中柱的滑道窗 Sliding Panel with center stile	1000	1000	Double-Sliding 1700	N/A
窗扇最小宽度 Panel Min.Width(mm)				
合页窗扇 Hinged Panel	190	190	190	190
合页折叠窗扇 Double Hinged Panels on one open direction	190	190	190	190
固定窗扇 Fixed Panel	190	190	190	190
滑道折叠窗扇 Bifold Panel	190	190	190	190
滑道窗扇 Sliding Panel	190	190	190	190
窗扇最大高度 Panel Max.Height(mm)				
合页窗扇 Hinged Panel	3000	3000	3000	3000
合页折叠窗扇 Double Hinged Panels on	3000	3000	3000	3000

one open direction				
固定窗扇 Fixed Panel	3000	3000	3000	3000
滑道折叠窗扇 Bifold Panel	3000	3000	3000	3000
滑道窗扇 Sliding Panel	3000	3000	3000	3000
加 1 个中板 One Mid Rail Required	1500-2499	1500-2499	1500-2499	1500-2499
加 2 个中板 Two Mid Rail Required	2500-3000	2500-3000	2500-3000	2500-3000
窗扇最小高度 Panel Min.Height(mm)				
合页窗扇 Hinged Panel	254	254	254	254
合页折叠窗扇 Double Hinged Panels on one open direction	254	254	254	254
固定窗扇 Fixed Panel	254	254	254	254
滑道折叠窗扇 Bifold Panel	254	254	254	254
滑道窗扇 Sliding Panel	254	254	254	254
上下板最大宽度 Top and Bottom Rail Max.Width(mm)	178	178	150	130
上下板最小宽度 Top and Bottom Rail Min.Width(mm)	76.2	76.2	76.2	83
中板宽度 Mid Rail Width(mm)	76.2 (63.5, 89, 114 louver)	80.2 (63.5, 89, 114 louver)	79.25	80.2
	63.5 (76 louver)	67.5 (76 louver)		
Mid Rail Position critical	Available	Available	N/A	N/A
其他项目 Other Option				
隐藏合页 Hidden Hinge	Z40,Z50,L50,L70 available, 38mm stile not available		N/A	N/A
芯板 Solid Panel	支持 Available	支持 Available	N/A	N/A
拉环 Ring Pull	支持 Available	支持 Available	N/A	N/A


锁 Lock	N/A	N/A	N/A	Available
天窗锁 Skylight Lock	支持 Available	支持 Available	支持 Available	N/A
插销 Flush Bolt	支持 Available	支持 Available	N/A	支持 Available
蜂巢帘 Blackout Blinds	支持 Available	支持 Available	木边框支持 Wood Frames available	N/A
水平 Tpost Horizontal T post	支持 Available	支持 Available	支持 Available	N/A
双层床窗 Tier On Tier Panels	支持 Available	支持 Available	支持 Available	N/A
异型窗 Shaped Shutter				N/A

木质成品组件导航 Wooden Component Guide


● 木质叶片 Wooden Louver

  <table border="1"><tr><td>Part NO.:</td><td></td></tr><tr><td>Name:</td><td>50.8 Blade</td></tr><tr><td>Material:</td><td>Paulownia</td></tr><tr><td>Tolerances:</td><td>+/-0.3mm</td></tr><tr><td>Revision No.:</td><td></td></tr><tr><td>Date:</td><td>2021/12/06</td></tr></table>	Part NO.:		Name:	50.8 Blade	Material:	Paulownia	Tolerances:	+/-0.3mm	Revision No.:		Date:	2021/12/06	  <table border="1"><tr><td>Part NO.:</td><td></td></tr><tr><td>Name:</td><td>63.5 Blade</td></tr><tr><td>Material:</td><td>Paulownia</td></tr><tr><td>Tolerances:</td><td>+/-0.3mm</td></tr><tr><td>Revision No.:</td><td></td></tr><tr><td>Date:</td><td>2021/12/06</td></tr></table>	Part NO.:		Name:	63.5 Blade	Material:	Paulownia	Tolerances:	+/-0.3mm	Revision No.:		Date:	2021/12/06
Part NO.:																									
Name:	50.8 Blade																								
Material:	Paulownia																								
Tolerances:	+/-0.3mm																								
Revision No.:																									
Date:	2021/12/06																								
Part NO.:																									
Name:	63.5 Blade																								
Material:	Paulownia																								
Tolerances:	+/-0.3mm																								
Revision No.:																									
Date:	2021/12/06																								
  <table border="1"><tr><td>Part NO.:</td><td></td></tr><tr><td>Name:</td><td>76.2 Blade</td></tr><tr><td>Material:</td><td>Paulownia</td></tr><tr><td>Tolerances:</td><td>+/-0.3mm</td></tr><tr><td>Revision No.:</td><td></td></tr><tr><td>Date:</td><td>2021/12/06</td></tr></table>	Part NO.:		Name:	76.2 Blade	Material:	Paulownia	Tolerances:	+/-0.3mm	Revision No.:		Date:	2021/12/06	  <table border="1"><tr><td>Part NO.:</td><td></td></tr><tr><td>Name:</td><td>88.9 Blade</td></tr><tr><td>Material:</td><td>Paulownia</td></tr><tr><td>Tolerances:</td><td>+/-0.3mm</td></tr><tr><td>Revision No.:</td><td></td></tr><tr><td>Date:</td><td>2021/12/06</td></tr></table>	Part NO.:		Name:	88.9 Blade	Material:	Paulownia	Tolerances:	+/-0.3mm	Revision No.:		Date:	2021/12/06
Part NO.:																									
Name:	76.2 Blade																								
Material:	Paulownia																								
Tolerances:	+/-0.3mm																								
Revision No.:																									
Date:	2021/12/06																								
Part NO.:																									
Name:	88.9 Blade																								
Material:	Paulownia																								
Tolerances:	+/-0.3mm																								
Revision No.:																									
Date:	2021/12/06																								
  <table border="1"><tr><td>Part NO.:</td><td></td></tr><tr><td>Name:</td><td>114 Blade</td></tr><tr><td>Material:</td><td>Paulownia</td></tr><tr><td>Tolerances:</td><td>+/-0.3mm</td></tr><tr><td>Revision No.:</td><td></td></tr><tr><td>Date:</td><td>2021/12/06</td></tr></table>	Part NO.:		Name:	114 Blade	Material:	Paulownia	Tolerances:	+/-0.3mm	Revision No.:		Date:	2021/12/06													
Part NO.:																									
Name:	114 Blade																								
Material:	Paulownia																								
Tolerances:	+/-0.3mm																								
Revision No.:																									
Date:	2021/12/06																								


● 木质平板叶片 Urban Louver



63mm Urban





76mm Urban




89mm Urban



● 木质竖柱 Wooden Stile





Part NO.:	
Name:	38.1-Stile-B
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	38.1-Stile-F
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	50.8-Stile-B
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	50.8-Stile-F
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	38.1-Stile-DB
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	38.1-Stile-DF
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	50.8-Stile-DB
Material:	Paulownia
Tolerances:	+/-0.3mm





Part NO.:	
Name:	50.8-Stile-DF
Material:	Paulownia
Tolerances:	+/-0.3mm





Part No.:	
Name:	38.1-Stile-B-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	38.1-Stile-F-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	50.8-Stile-B-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	50.8-Stile-F-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	38.1-Stile-RB-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part No.:	
Name:	38.1-Stile-RF-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part No.:	
Name:	50.8-Stile-RB-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part No.:	
Name:	50.8-Stile-RF-CV
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	38.1-Stile-ZB
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



Part NO.:	
Name:	38.1-Stile-RF
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06




Part NO.:	
Name:	50.8-Stile-ZB
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	50.8-Stile-RF
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



● 木质上下板 Wooden Rail




Part NO.:	
Name:	HS-SXB
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	63.5-ZB
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



Part NO.:	
Name:	76.2-ZB
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	Bifold header+side board 70/75/80/100/120/130/200
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	Fascia for inside mount bifold 65/75/80/100/115/120/150/160/200
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



● 木质边框 Wooden Frame





Part NO.:	
Name:	L50
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part NO.:	
Name:	Z40
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06





Part No. :
Name: L60
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :





Part No. :
Name: L70
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :





Part No. :
Name: Z50
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :





Part No. :
Name: L80
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :





Part No. :
Name: L90
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :
Date: 2021/12/06




Part No. :
Name: Z40SF
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :





Part No. :
Name: Z3-CS
Material: Paulownia
Tolerances: +/- 0.3mm
Revision No. :
Date: 2021/12/06




Part No.:	
Name:	F50
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	





Part No.:	
Name:	Heng Strip
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	




Part No.:	
Name:	F70
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	





Part No.:	
Name:	Vintage Heng Strip 30mm
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	




Part No.:	
Name:	F90
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	











Part No.:	
Name:	D-1
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	





Part No.:	
Name:	L50MF
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	
Date:	2021/12/06




Part No.:	
Name:	D-2
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	
Date:	2021/12/06








Part No.:	
Name:	Corner Post
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	
Date:	2021/12/06



Part No.:	
Name:	Light Block
Material:	Paulownia
Tolerances:	+/- 0.3mm
Revision No.:	
Date:	2021/12/06

定制转角 Post Customized corner Post




- 请注意一个细节：
A very noteworthy aspect:


客户可以定制任意角度的转角 Post

Customers can customize corners at
any angle

更新代表性木质型材 Updated Wooden Component




25/50*63,5





25/50*50,8

ZF




PVC 成品组件导航 PVC Component Guide

● PVC 叶片 PVC Louver




PVC 2.5"Elliptical Blade




PVC 3"Elliptical Blade





PVC 3.5"Elliptical Blade




PVC 4.5"Elliptical Blade





● PVC 竖柱 PVC Stile





Part NO.:	
Name:	Butt Stile Reinforced
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part NO.:	
Name:	Butt Stile
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part NO.:	
Name:	Flat Butt Stile
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part NO.:	
Name:	GS-Flat Butt Stile
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	




Part NO.:	
Name:	Stile-RB
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	



Part NO.:	
Name:	Stile-DB
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	




Part NO.:	
Name:	Stile-B
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	




Part NO.:	
Name:	Astrogal stile reinforced
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	



● PVC 板 PVC Rail





* 双面上下板 Double sided upper and lower boards




● PVC 边框 PVC Frame



Part NO.:	
Name:	Z50
Material:	PVC
Tolerances:	+/-0.3mm





Part NO.:	
Name:	Z40
Material:	PVC
Tolerances:	+/-0.3mm





Part NO.:	
Name:	L50
Material:	PVC
Tolerances:	+/-0.3mm

Revision No.:



Part NO.:	
Name:	L70
Material:	PVC
Tolerances:	+/-0.3mm



Revision No.:



Part NO.:	
Name:	F50
Material:	PVC
Tolerances:	+/-0.3mm

Revision No.:



Date: 2021/04/20





Part NO.:	
Name:	F70
Material:	PVC
Tolerances:	+/-0.3mm

Revision No.:

Date: 2021/04/20





Part NO.:	
Name:	Z2-CS
Material:	PVC
Tolerances:	+/-0.3mm




Part NO.:	
Name:	Z3-CS
Material:	PVC
Tolerances:	+/-0.3mm



Revision No.:





Part No.:	
Name:	Vintage Hang Strip 30mm
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	Light Block
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	U-T
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	U-B
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	





Part No.:	
Name:	Corner Post
Material:	PVC-90
Tolerances:	+/-0.3mm
Revision No.:	



Part No.:	
Name:	Bay post
Material:	PVC-135
Tolerances:	+/-0.3mm
Revision No.:	



Part No.:	SPVC-064
Name:	25mm T post
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/04/20



Part No.:	SPVC-118
Name:	25mm Flat T post
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/04/20

透气窗颜色 Shutter Color

SHUTTER COLOR

Painted Color



Stained Color



Brushed Color



Open Finish Color



SHUTTER COLOR

Aluminium Color



Customized Color



Embrace Your Individuality

All you need to do is send us the color card you need, or choose from the international color card books: Dulux, RAL, Little Greene, Farrow&Ball, etc. We match the color of your choice and send it to you for approval. We offer customized color shutter with no minimum order quantity.





Open Finish Paulownia Shutter

Open Finish is a special paint coating technology, as we all know for paulownia wood is sustainable wood, with high durability light weight and beautiful grain. In order to show the beauty and let people feel the wood texture better, this year we add our new paint technology Open Finish.

If you want to see sample, please contact our sales team.



- ★ Natural wood grain
- ★ Only a few dollars
- ★ Handmade
- ★ Customize color



QUV TEST REPORT

Products Test Report 产品检测记录表			
产品名称	面漆4号偏白红, 5号偏红, 6号深灰	送检部门	T1
样品数量	9	送测日期	23.10.9
测试人	车	检测报告时间	23.10.18
测试项目	测试的要求	具体测试方法	测试结果
耐候性	将产品放入UV检测箱内紫外线下灯管下长时间照射，在规定时间内观测到片材表面颜色的变化，判定耐候指数。	将样品放入UV检测箱进行检测，每24小时使用色差仪记录次色差	4号偏白红: 0.06, 5号偏红: 0.31, 6号深灰: 0.07
附着力	测试油漆膜与被涂物之间或涂层之间相互结合的能力是否具备要求的性能	用划格器在油漆涂层上划出一字格的形状，纵裂各划一刀，形成一格格小方格，再用刮刀贴在缺口上并拉开，用放大镜观察切口区的情况	4, 5, 6号均合格
亮度	油漆亮度是否一致	用亮度仪进行对比	
氙灯老化	将产品放入UV检测箱内紫外线下灯管下长时间照射，在规定时间内观测到片材表面颜色的变化，判定耐候指数。	将样品放入UV检测箱进行检测，每24小时使用色差仪记录次色差	4号偏白红: 0.06, 5号偏红: 0.62, 6号深灰: 0.05
柔韧性	油漆喷涂铁片上	铁片对折180度	
遮盖力	油漆喷涂黑白格	用色差仪进行对比	
固含量	将油漆喷在一次性餐具盒内	油固含量机器内，等待水份挥发	

备注：一桶油漆，三个样段，一个铁皮。

Products Test Report 产品检测记录表			
产品名称 Products name	面漆 *** paint	产品测试项目 Test name	色牢度 Yellowing resistance
样品数量 Sample quantity	1pc	样品编号 Sample #	FR-710W 2022120935
送检部门 Workshop	百叶窗	送测日期 Sample date	2023.10.4
测试仪器 Test machine	QUV	温湿度 Temperture	50-60度 50-60℃
测试时间 Testing time	168小时 168 hours	测试人 Tester	车 che
测试的要求和目的 Test Requirement & Purpose	将产品放入QUV测试箱内紫外线灯管下长时间照射，在规定时间内观察叶片表面颜色的变化，判定耐黄变的能力 Put the product under the ultraviolet lamp in the QUV test box for a long time, observe the color change of the blade surface within the specified time, and determine the ability to resist yellowing.		
具体测试方法 Testing method	将样品放入QUV检测箱进行检测，每24小时使用色差仪记录色差 Put the sample into the QUV detection box for detection, and record the color difference every 24 hours with a color difference meter		
测试结果分析 Testing result	经过50-60度168小时以上紫外灯管照射结果：叶片色牢度色差仪检测数值为0.31 After more than 168 hours of ultraviolet lamp irradiation at 50-60 degrees, the result showed that the value of 0.31 detected by Beilei Naihuangbianjian (20230126) (20230204) leaf colorimeter was qualified		
检测报告时间：2023-10-11 Report Date: Fe. 17. 2023	送检人：百叶窗 Sample supplier:		

COLOR FASTNESS REPORT

SGS	SGS
Test Report	
No.: QGHL220786940207	
Date: Oct 12, 2023	
Page 1 of 2	
HEZE HUASHENG WOODEN CO., LTD. NO. 8 INDUSTRY ZONE ZHANJIANGZHA TOWN HEZE CITY SHANDONG PROVINCE CHINA 274464	
Sample Description	: PLANTATION SHUTTER & VENETIAN BLINDS
Manufacturer	: HEZE HUASHENG WOODEN CO., LTD.
Supplier	: HEZE HUASHENG WOODEN CO., LTD.
Country of Origin	: CHINA
As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability and/or integrity accordingly. -----	
SGS Ref. No.	: SL22078694131801TX
Sample Receiving Date	: Jul 11, 2023
Final Sample Submission Date	: Oct 08, 2023
Test Performing Date	: Jul 11, 2023 to Oct 12, 2023
Test Requested	Test Result
Color Fastness To Dry Heat	See Results
Color Fastness To Light	See Results
Remark: Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.	
Signed for and on behalf of SGS-CSTC Standards Technical Services (Qingdao) Co., Ltd.	
 Zhou Xituan, SK Authorized Signature	
	
 <p>SGS Quality Management System Approved ISO 9001:2015 ISO 14001:2015 ISO 45001:2018 SGS-CSTC SGS-CSTC SGS-CSTC</p>	
<small>SGS is a registered trademark of SGS Group of Companies. The SGS logo is a registered trademark of SGS Group of Companies. All other trademarks, service marks and trade names are the property of their respective owners. This document contains neither recommendations nor conclusions of SGS. SGS makes no warranties, expressed or implied, concerning the content or use of this document. SGS shall not be liable for any damages resulting from the use of the information contained in this document. The information contained in this document is not to be reproduced without the express written consent of SGS. © SGS 2023. All rights reserved.</small>	

SGS	No.: QDHL2207009402OT	Date: Oct 12, 2023	
Test Report	Page 2 of 2		
Test Result(s):			
Sample Description : (Appliqued chenille & velvet birds)			
Color Fastness To Dry Heat			
(AATCC TM-117-2013)			
110% (or 30 seconds)			
Change In Shade	Unit	A	Requirement
Steaming On Multi-fibre Shirts	Grade	4.5	-
Steaming On Cotton	Grade	4.5	-
Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.			
Color Fastness To Light			
(AATCC TM-16.3-2020, Option 3/Xenon Arc Lamp)			
After 20 ATU			
Change In Shade	Unit	A	Requirement
Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.			
Sample Photo:			
 QDHL2207009402OT			
SGS authenticates the photo on original report only			
*****End of Report*****			
<small> SGS Identity Services International Ltd. We are required to forward the completed test report to the customer. Confidential or Non-public information contained in this document may not be distributed outside the customer's organization without prior written consent of SGS Identity Services International Ltd. This document is the intellectual property of SGS Identity Services International Ltd. It is issued for the sole use of the customer named above. It is the responsibility of the customer to ensure that it is not copied or otherwise distributed without the prior written consent of SGS Identity Services International Ltd. </small>			
<small> www.sgs.com SGS Identity Services International Ltd. Tel: +44 1223 840000 sgsidentity@sgs.com www.sgs.com SGS Identity Services International Ltd. Tel: +44 1223 840000 sgsidentity@sgs.com </small>			

拉杆选项 Tilt Rod Option

中心拉杆

Center Tilt Rod



Center tilt rod in the centre of the louver

Tilt Rod Position: Front of pane
Wooden shutter, PVC shuttle available

偏移拉杆

Offset tilt rod



Off set tilt rod is on the side of the panel, usually near the hinge, allowing customization of the position

Wooden shutter, PVC shutter available

隐藏拉杆

Clearview Tilt
Rod



Tilt Rod Position: backside of panel on the hinge side
Its ability to allow light in and also the amazing view-through capability
Wooden shutter, PVC shutter, aluminum shutter available

内置拉杆

Concealed
/Hidden Tilt Rod



Concealed /Hidden Tilt Rod is inside the stile using hidden rack and pin
Wooden shutter, PVC shutter available

色卡样 Color sample

● 款式 1—橄榄形色卡 Style 1 —elliptical



● 款式 2—百叶片色卡 Style 2 —Slats



样品箱款式 Sample box style

款式 1—皮质箱
Style 1 —Leather box



款式 2—尼龙包
Style 2 —Nylon bag



款式 3—PV 箱
Style 3 —PV box



WINDOW PLANTATION
SHUTTER RANGE

A range of solutions for every home

样品箱内部 Sample box details

款式 1—皮质箱
Style 1—Leather box



款式 2—尼龙包
Style 2—Nylon bag




款式 3—PV 箱
Style 3—PV box



五金 Hardware


		
3 英寸蝶形合页 3" Butterfly Hinges	3 英寸合页 3" Hinges	圆孔 225 合页 White Round Hole 255
		
3 英寸折弯合页 3" Bifold Hinges	4 英寸弯合页 4" Bifold Hinges	天窗合页 Skylight Hinge
		
内装单端头合页 White Pivot Hinge inside	外装单端头合页 White Pivot Hinge outside	L 型合页 L shaped Hinges
		
偏心小合页 Slim hinge	十字隐藏合页 X- Hidden Hinge	桶型合页 Cylindrical-Hidden Hinge

		
长 PIN Long PIN	插销 PIN Tension PIN	平底弹簧 PIN Spring load PIN
		
圆底弹簧 PIN Spring load PIN	两段 PIN Two part PIN	插销 PIN Tension PIN
		
正常 PIN Standard PIN	内置拉杆 PIN PIN for Hidden Tilt Rod	PVC 用内置拉杆 PIN PIN for PVC Hidden Tilt Rod
		
钉 PIN PIN with Screw	木榫 Dowel	燕尾榫-12*10*8 Swallowtail pins-12*10*8

燕尾榫-27mm Swallowtail pins-27mm	燕尾榫-36mm Swallowtail pins-36mm	燕尾榫-50mm Swallowtail pins-50mm
吸铁片用螺丝钉 Screw for Magnet Plate	磁铁用螺丝钉 Screw for Magnet	合页用螺丝钉 Screw for Hinges
隐藏拉杆用螺丝 Screw for Clear View Tilt Rod	边框用螺丝 Install Screw for frame	调整螺丝 Tension Screws+Spring
安装螺丝 Assembly screws	U形钉 Stainless U -Screws -416K/419k	

		
圆孔塞-长开口 Hole Plug-Long groove	圆孔塞-短开口 Hole Plug-Short groove	异形圆孔塞 Covers for rabbet stiles
		
孔塞-15.65/16.45/17.17/19.1mm End cap used for stile-15.65/16.45/17.17/19.1mm	圆孔塞-不开口 Hole Plug-No groove	不干胶孔贴-15/20MM Sticker-15/20MM
		
脚钉 Panel feet	调整孔 PIN 套 大/小 Shoulder washer for adjust hole	调整孔垫片 Screw Ring used for adjust hole screw
		
合页垫片 Hinge packer	圆头拉杆 2.5/3.5/4.5 Real Louver Control 2.5/3.5/4.5	内置拉杆齿条 Rack for Hidden Rod

		
圆形磁铁 Round magnet	圆形磁铁片 Round magnet plate	半圆形吸铁片 Arch magnet plate
		
L 形磁铁片 L magnet plate	新 L 型吸铁片 White New L shape Magnet Plate	13 磅磁铁 13 Pang Magnet
		
厚磁铁 Thick Magnet	长磁铁 Long Magnet	磁铁 Magnet
		
卡扣 Catcher	碰珠 Button catch	

		
拉环 Pull ring	芯板拉手 Solid knob with 32mm screw	天窗锁 Skylight lock
		
叶片锁 Blades Lock	锁 Lock	插销 Flush bolt
		
托架 Bracket-75/100/135/180mm	L型拐角 L shape return	
		
门搭 1 Latch1	门搭 2 Latch2	门搭 3 Latch3

		
M型下滑道 M -Bottom Track	U型下滑道 U -Bottom Track	上滑道 Top track
		
T型下导轨 T shape bottom guide	下固定轴 Bottom Pivot	下固定轴 Bottom Pivot
		
滑轮 Wheel	下活动轴 Bottom guide	滑止 Track Stop
		
	铝合金下活动轴 Aluminium Bottom Pivot	铝合金用上固定轴+滑轮 Aluminium Top Pivot + wheel

滑道透气窗 Track Shutters

Bi-fold shutter

Max Panel Height: 3000mm (During 1500mm-2500mm, v must have 1

Divider; More than 2500mm, must have 2 Divider)


Minimum Panel Height: 300mm

Max Panel Width: 650mm


Minimum Panel width: 200mm

Available for 2.5" shutter, 3.0" shutter, 3.5" shutter and 4.5" shutter

Different bottom track options




Bi-fold shutter also can be inside mount and outside mount



Bi-fold shutter also can be inside mount and outside mount

Side board for choose





Wooden:

(size:70mm/75mm/80mm/100mm/120mm/130mm /200mm/220mm*20mm, custom size available)


PVC:

(size: 100mm/160mm/200mm*19.05mm)

Facia/Valance for choose



Part NO.:	
Name:	Fascia for inside mount bifold 65/75/80/100/115/120/150/160/200
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



Part NO.:	
Name:	Side Fascia
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/04/20

Wooden:

(size:65mm,75mm/80mm/100mm/115mm/120mm/150mm/160mm/200mm*12mm, custom size available)

PVC:

(size:32mm/ 60mm/100m*10mm)

Light block for choose: 20X20mm




Part NO.:	
Name:	Light Block
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06


Except LR/LL/RR/LLRR... Such as conventional Bi-fold, can also be free moving panels

SS-SS-SS : This is a special config for bi-fold track system, means no panel is fixed. They are divided into four groups. Each group works independently.


(IP-SS)




(IP-SS-SS)



(IP-SSSS)



(IP-SS-SS-SS)




Explanation on SS-SS-SS config : "S" means a panel that can slide freely with tracks, either left or right, no fixing point required. If you want two panels such as ss to slide independently from rest panels, please use dash for separation, for example SS-SS



Other details:

Facia/Valance
can be slotted
and inserted



Side
Facia/Valance
can be added to
block light



Outside mount
uses brackets

4 size:75mm,
100mm, 135mm,
180mm



Bi-fold shutter
accessory



Track color: Silver, white, black, brown

Bottom guide color: black, white

By-bass shutter

Max Panel Height: 3000mm (During 1500mm-2500mm,must have 1

Divider; More than 2500mm,must have 2 Divider)


Minimum Panel Height:300mm

Max Panel Width: 500mm-1400mm (When the width more than 800mm,
must use center stile).

Minimum Panel width:200mm

Available for 2.5" shutter,3.0" shutter,3.5"shutter and 4.5"shutter


Different bottom track options




With bottom board (C track)

M track


Louver open and close sliding




2.5叶片隐藏拉杆打开方式下推拉




2.5叶片木拉杆打开方式下推拉




3.5叶片隐藏拉杆打开方式下推拉



3.5叶片木拉杆打开方式下推拉




3叶片隐藏拉杆打开方式下推拉



3叶片木拉杆打开方式下推拉

Clearview Sliding




Closed

Open

2.5" louver Clearview/Hidden tilt rod

Plantation Sliding




Closed

Open


2.5" louver Center tilt rod

Clearview Sliding



Closed Open


Plantation Sliding



Closed Open


3" louver Clearview/Hidden tilt rod

Clearview Sliding



Closed Open

Plantation Sliding





Closed Open


3.5" louver Clearview/Hidden tilt rod

3.5" louver Center tilt rod

Side board for choose



Part NO.:	
Name:	Bifold header+side board 70/75/80/100/120/130/200
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



Part NO.:	
Name:	Bifold header+side board
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/04/20


Wooden:

(size:110mm/120mm/130mm/150mm/160mm/170mm /190mm/200mm/210mm/220mm*20mm, custom size available)


PVC:

(size: 160mm/200mm*19.05mm)

Facia/Valance for choose



Part NO.:	
Name:	Fasica for inside mount bifold 65/75/80/100/115/120/150/180/200
Material:	Paulownia
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/12/06



Part NO.:	
Name:	Side Fascia
Material:	PVC
Tolerances:	+/-0.3mm
Revision No.:	
Date:	2021/04/20


Wooden:

(size:65mm,75mm/80mm/100mm/115mm/120mm/150 mm/160mm/200mm*12mm, custom size available)

PVC:

(size:32mm/ 60mm/100m*10mm)


Light block for choose: 20X20mm




Part No.:	
Name:	Light Block
Material:	Pomolaic
Volumen:	$\approx 0.3\text{cm}^3$
Revision No.:	
Date:	2021/10/05

Equal to or greater than 2 tracks available

2 tracks





Other details:

Facia/Valance
can be slotted
and inserted





Side

Facia/Valance

can be added to

block light



Outside mount
uses brackets

4 size:75mm,
100mm, 135mm,
180mm



By-pass shutter
accessory



Top: Wheels x 2 for each panel



Top Track



Spanner if need



Bottom Guide x 2 for each panel



M Shape Bottom Track without bottom board




C Shape Bottom Track with bottom board




Track color: Silver, white, black, brown

Bottom guide color: black, white

天窗透气窗 Skylight Shutter



Skylight Shutter



Skylight Shutter Frame




Sky Lock




Sky Hinge

透气窗固定安装 Fixed Panel

A: U channel




B: Magnet fixed



配套设置 Supporting settings



四边展架 4 side display	使用场景 Usage scenario
	
伸缩杆 Extend rod	使用场景 Usage scenario



鸵鸟毛掸子
Ostrich feather duster



使用场景
Usage scenario



窗台盖
Sill Cap wooden shutter and PVC shutter available



使用场景
Usage scenario

MOTORIZED SHUTTER



It has 16 channels and controls 16 motors.

Powered by



the APP can control several motors at same time.

"Alexa , turn on the shade."

"Google , turn on the shade."

Access to voice control devices by linking a Bluetooth Hub.



3 Louver Brackets



Stroke Calibration



Solar Panel



Chargng Cable And Charging Head


	
<p>脚钉和垫块 Panel feet and panel fit support</p>	<p>使用场景 Usage scenario</p>

包装展示 Package


		
外箱效果 Outview	唛头和警告贴 Marks /warning labels	五金盒指示贴 Hardware box instruction labels
		
气柱包装 Air bag packaging	窗扇边框分包 Pannel & Frame Classified pack	包装耗材 Packaging consumables
		
空运蜂窝纸箱展示 Air freight Honeycomb carton	散货木箱展示 LCL-Wooden box	海运集装箱展示 Shipping container view

海湾窗测量 Measurement bay shutter

转角/海湾窗的内外装测量 Measurement about the corner/bay shutter




Outside Mount




Bay Window

Inside Mount





Outside Mount






Corner Window

Inside Mount




芯板窗 Solid Panel




双面起形芯板窗

Double raised solid panel



solid flat single raised double raised



双面平面芯板窗

Double flat solid panel

最窄芯板窗

Mini width for solid panel

双面起形芯板窗:276mm

Double raised solid panel:276mm

双面平面芯板窗:200mm

Double flat solid panel:200mm

单面起形芯板窗:200mm

Single raised solid panel:200mm

蜂巢帘 Blackout blinds & 防蚊纱窗 Screen Shade

蜂巢帘 Blackout blinds

华升透气窗后边可以安装蜂巢帘，来实现整个室内全遮光。可用于卧室，多媒体室和婴儿房等。蜂窝设计原理，每个单独的蜂巢有一层铝箔，除了遮挡光线也可以隔热，实现冬暖夏凉功能。单个窗户最大尺寸 1600mm x2000mm，超出尺寸需要多个组合，用专用 Tpost 断开安装。

A blackout blind can be ordered to fit behind our plantation shutters, allowing you to achieve total room darkness. Ideal for bedrooms, media rooms or nurseries. The honeycomb design completely blocks out the light with each cell having an internal foil wrap, creating both light block out and thermal insulation. The insulating characteristics help keep the heat out in summer and the warmth in during winter. Single blinds can fit windows up to 1600mm W x 2000mm H. For wider windows, simply order multiple blinds to install within T posts within the shutter frame.

特点 Features

- 有效遮光，更有助于睡眠 Effective blackout for better sleep
- 方便快速安装 Easy to fit
- 儿童安全无拉绳设计 Child safe as chain free
- 弹簧调节拉伸 Spring operated mechanism allows tension to be adjusted
- 保温效果显著 Reduce heat loss and heat gain
- 高质量遮光面料 High quality 100% light block coating polyester fabrics

防蚊纱窗 Screen shades

在蜂巢帘的基础上，华升透气窗升级，可安装防蚊纱窗，实现防止蚊虫进入窗户的功能。





On the basis of the blackout blind, Huasheng upgraded some functions, shutters can be installed with mosquito screen shades to prevent mosquitoes from entering the window. The production requirements and system, are the same , only the fabric needs to be replaced.

特点 Features

- 有效隔绝蚊虫进入窗户 Effectively isolate mosquitoes from entering.
- 使用和蜂巢帘同样的边框和轨道 Use the same track and frame as the blackout blinds.




蜂巢帘和防蚊纱窗可用边框 Frame available

<p>木质窗可以选择 BL100 边框 Wooden shutter can choose BL100 stile</p>	 <p>BL100</p> <p>BL100 边框</p>
<p>BL100 边框需要选择对应的 Tpost T-post corresponding to BL100 Frame</p>	 <p>BL100-T-POST</p>
<p>PVC 窗可以选择 L50+U 滑槽 PVC shutter can choose L50+U channel</p>	 <p>L50+U Channel</p>
<p>L50+U 滑槽边框需要选择对应的 T-post T-post corresponding to L50+U channel Frame</p>	

产品图纸细节 Product drawing details


63.5 叶片透气窗背后蜂巢帘和防蚊纱窗图纸细节

63.5 louver product drawing details




76.2 叶片透气窗背后蜂巢帘和防蚊纱窗图纸细节

76.2 louver product drawing details



芯板窗透气窗背后蜂巢帘和防蚊纱窗图纸细节

Solid rail shutter product drawing details





蜂巢帘&防蚊纱窗定制尺寸范围 Blackout blinds & Screen shades size Limitations

颜色 Color	蜂巢帘宽度 Blinds width	蜂巢帘高度 Blinds height	最小宽度 Min Width	最大宽度 Max Width	最小高度 Min height	最大高度 Max height
白-white 黑-Black	U 槽尺寸-15mm Uchannel-15mm	U 槽高度 Same to U channel	250mm	1600mm	250mm	2000mm


- 按照平方定价，小于 1 平，按照 1 平方算。
Priced by Sqm, if blind less than 1 sqm pricing will be rounded up to the next full sqm.
- 必须要四面的边框，不可以少任意一边。
4 x sided shutter frame is always required.
- 保修期为发货后 1 年
Warranty is 1 year from dispatch.

车间会根据透气窗尺寸做好蜂巢帘成品 The workshop will prepare the finished blackout blinds according to the size of the ventilation window.		上轨和下轨固定在 U 槽内，中轨控制帘子的升降。 The top and bottom rails are fixed in the U-channel, and the middle rail controls the lifting of the blinds.	
卡扣在 U 槽内的安装位置。卡扣的“舌形”一面朝向窗扇一侧，便于后期拆卸。The installation position of the bracket in the U-channel. The "tongue shaped" side of the bracket faces the side of the panel for easy disassembly in the later stage.		下轨内的弹簧和螺丝可以帮助调整拉绳的长度。一般情况下出厂就已经调整好。 The springs and screws inside the bottom rail can help adjust the length of the pull rope. Normally, adjustments are already made at the factory.	

平板叶片 Flat louver /Blockout louver shutter

	<p>平板叶片材质 Blockout louver Material: 桐木/PVC Paulownia/ PVC</p> 
<p>桐木平板叶片 Paulownia Blockout louver</p>	<p>PVC 平板叶片 PVC Blockout louver</p>
<p>仅支持内直拉杆 Only Hidden Tilt Rod can be made ✓</p>	<p>支持内置拉杆 Clearview Tilt Rod ✓</p>
<p>其他 Other ✗</p>	<p>支持隐藏拉杆 Hidden Tilt Rod ✓</p>
<p>叶片类型 Louver type 63 louver/76 louver/89 louver 实际尺寸 (Actual size: 56.8mm/69.5mm/82.2mm)</p>	<p>叶片类型 Louver type 89 louver 实际尺寸 (Actual size: 88.9mm)</p>
	
<p>颜色 : 覆盖色 /染色/拉丝 /开放漆 Color : Paint/ Stain/ Brush /Open finish</p>	<p>颜色 : 覆盖色 Color : Paint</p>
<p>叶片闭合方向默认向上。The default direction of louver closure is upward.</p>	


边框安装孔示意图 Schematic diagram of frame installation holes



边框安装孔示意图


折叠窗上滑道安装孔位置图 Bi-fold window top rail installation holes position

折叠窗上滑道安装孔位置图



钢印和纸箱唛头 Steel stamp & Shipping label

每套透气窗的边框，T post，窗扇上都会有钢印标识，标识内容为：订单号码，打开方式，窗扇序号，颜色。
钢印的位置在顶部或者底部。咖啡窗的钢印在底部。分层窗的钢印，上部分窗扇的钢印在顶部，下部分窗扇的钢印在底部。
The frame, T post, and sash of each set of plantation shutter will have a steel stamp identification, includes: order number, opening method, panel serial number, and color.
The steel stamp is at the top or bottom of the shutter components. The steel stamp of the coffee window is at the bottom. The steel stamp of the tier on tier window is located at the top of the upper panel and at the bottom of the lower panel.



Tpost 的钢印示意图	小条全部没有钢印，均为手写标识	边框钢印示意图
		

唛头 Shipping label-Custom label information available

DP

Order NO: ORD-8784

CUSTOMER name: RIJEN RS

Ref No: DP-5442

Item: 1-1/2 KEUKEN VOOR

Carton No: 1 OF 41

Shutter Panel



CTN/NO:1

132

- DP 客户简称 Customer Name Abbreviation
- CTN/NO:1— 集装箱内第几箱 Which box of containers
- 132 — 海运批次 Shipping batch
- Order NO: ORD-8784 — 订单号 Order number
- CUSTOMER name: RIEN RS — 终端客户名称 End customer name
- Ref No: DP-5442— 华升单号 Huasheng Order number
- Item: 1-112 KEUKEN VOOR — 订单中的第几套 Which set in the order
- Carton No: 1 OF 41— 总箱数的第几箱 Which one of the total number of boxes
- Shutter Panel — 箱内明细 Type of goods inside the box



Panel 窗扇展示



Frame 边框展示

拱形窗起拱方式和圆形打开方式 Arch design method&Circle shaped layout

华升的拱形窗户制作，是用窗扇的上板，变形成拱形制作。Huasheng Arched window, using the top rail of panel to form an arch



木质拱形款式 1
Wood Arch window style 1



木质拱形款式 2
Wood Arch window style 2



PVC 拱形款式 1
PVC Arch window style 1



木质圆形款式 1
Wood circle layout style 1



木质圆形款式 2
Wood circle layout style 2




木质圆形款式 3
Wood circle layout style 3

铝合金透气窗 Aluminium shutter

Painted color

There is 9 popular stock color :

Custom color available with MOQ 100 Squre meter shutters for one color. and quote separately. We have our own podwer coating room.



● 铝合金组件 Aluminum components

Code	Description	Size (mm)	Drawing	Code	Description	Size (mm)	Drawing
3.5AL	Louver	88.9*11		BU	Bottom U Channel	33.2*25	
DBS	D model Beaded Stile	50.8*28		TU	TOP U Channel	33.2*50	
BS	Beaded Stile	50.8*28		T50	T POST	50*50	
TBR	Top and Bottom Rail	63.6*18.4		Z50	Z Frame	50*67	
MR	Midd Rail	63.6*18.4		L70	L Frame	70*35	
AR	Adjust Rail	75*21.4		L50	L Frame	50*35	

General Information

Ordering Methods:

1. Reveal Fit: (Reveal) and Face Fit: (Face)

Please supply factory make size no matter reveal fit or Face fit.

2. Tolerance:

Width:

The width of the shutter can be plus or minus 3 mm from the order width.

Height:

The height of the panels can be plus or minus 1.5mm from the order height.

Rail+adjusting rail:

Min:80mm

Max:135mm

Mid-rail location:

Midrail : Standard as 76.2mm. If panel height is higher than 1800mm, then one mid rail is required. The mid rail height is always from the bottom of the window to center of the mid rail. You can specify the mid rail height by yourself. It will be adjusted either up or down due to the blade size.

Cancellation & Modification:

Since we manufacture custom made shutters based on the specifications provided on the original order form, no cancellations will be accepted. Once the order is submitted, the customer will be liable for the shutter order.

Product change will be only allowed if the shutter order is not in production (Please check at the time of change). If the order is in production, no changes will be allowed and the customer will be responsible for the shutter.

Limited Liability Warranty:

5 years

Material:

Aluminium thickness is 1.2mm and 3.0mm for the screw position.

Control Method

Clearview – The clearview rod is set on the hinge side of the panel.

The clearview tilt rod will split,
if equal, it will split in middle,
if not equal, the bottom section will be one more piece than top section.

● Aluminum shutter lock 铝合金透气窗锁

Flush bolt lock, stainless steel only, installed on stile, stile can be installed at the top or bottom, or at the same time. The control panel opens from above shutter




Louver lock, available in white and black, installed on louver, a tilt rod requires a louver lock that only controls whether the louver can be opened

key lock, available in white and silver, you can freely choose according to the order color, installed on stile, the control panel opens from above shutter.

● Aluminum Promotion sample 铝合金推广样品



样品箱
Sample Box



样品窗扇
Sample panel



色卡
Sample color

法式门 French door



圆形把手-半挡光
Half round handle-Half cutout board



圆形把手-全挡光
Half round handle-Flush cutout board



方形把手-半挡光
Rect handle-Half cutout board



方形把手-全挡光
Rect handle-Flush cutout board





法式门专用碰珠
Button catch


安装位置
Installation location

免打孔透气窗 No-screw shutter


俯视图




前视图




后视图




左视图



专用 PVC 边框图纸
PVC frame size



平板叶片图纸
Flat slats size



橄榄叶片图纸
Elliptical slats size

	桐木 Paulownia	PVC PVC	椴木 Basswood	铝合金 Aluminium
材质 Material	√	×	×	×
最大宽度 Max width	918mm	×	×	×
最小宽度 Min width	200mm	×	×	×
最大高度 Max height	1800mm	×	×	×
最小高度 Min height	210mm	×	×	×
叶片尺寸 Slats size	橄榄叶片 50.8mm Elliptical slats 50.8mm 平板叶片 44.1mm Blackout slats 44.1mm			
竖柱类型 Stile type	38/50 平面 & 38/50 珠状 38/50 Flat& & 38/50 Beaded	×	×	×
拉杆类型 Tilt rod type	内置/隐藏/中心木拉杆/偏移木拉杆 (平板叶片只能用内置拉杆) Clearview Tilt Rod / Hidden Tilt Rod /Center Tilt Rod /Offset tilt rod (Blackout slats (flat) only can used Hidden tilt rod)	×	×	×

1 磁吸透气窗有调整孔，因为边框一体，调整孔在边框外侧，可以直接进行调整。

The frame and panel are fixed, so we make a small hole in the frame at the position of the tension screw , so you can adjust the tension for the louvres.

2 边框与窗扇连接使用拉杆钉，打沉孔。

The frame is connected to the panel using tie rods screw and countersunk holes.



测量方式

Measurement method



1 如左图所示，客户只需要测量窗户窗扇到玻璃边缘的尺寸，不包含铝合金边框尺寸。Customers only need to measure and provide the size of the glass window edge (excluding the aluminum frame of the window sash)

2 请确保窗扇的把手和玻璃边缘有 $\geq 25\text{mm}$ 的缝隙，保证边框可以完美贴合。


Please ensure that there is a gap of $\geq 25\text{mm}$ between the handle of the window sash and the edge of the glass to ensure that the frame fits perfectly.

3 如果把手和玻璃边缘 $< 25\text{mm}$ ，需要做法式门把手。

If the handle and glass edge are less than 25mm, it need to be made in French door style.



异形窗的测量 Special shapes measure guide



Gothic, Eyebrow and Non-Perfect Arches

Measure from the **very centre of the Width** to the top of the shape. Then measure the different heights at every 100mm out from the centre. For accuracy, measure at 50mm at either end. A Laser measure can be an effective tool during this type of survey.



Ensure you send your all information clearly on your order & drawing so that an accurate factory drawing can be requested.

安装案例 Installation case

INSTALLATION CASE



产品质保 Shutter Warranty

一.所有材质结构终身质保

工厂提供2年的桐木产品表面质保，3年PVC产品表面质保，5年的铝合金产品质保包含油漆黄变,开裂;木材的自然断裂、指接、拼接痕、变形。

Our factory supply Lifetime warranty for all material shutter structural integrity.

Factory offer 2 years warranty for wooden shutter surface effect.3 years for PVC shutter and 5 years for aluminium shutter.

Under warranty included painting turn yellow, the natural crack; crack for finger jointed,warping louver,stile,frame in 2 years from delivery date of factory.

There is no warranty in below conditions: 1. Wood crack or deformation as installed in high temperature or high humidity environmental (unless PVC shutters). 2. Customer stock in warehouse or install or transport not in right way lead to products broken not under warranty.

对于以下的情况造成的问题,不在质保条款保护范围之内:1.使用在高温或高湿的环境导致木材开裂或者变形(除了塑料窗)2.客户安装,存放及运输不当导致的问题。



二. 超规范的制作要求

工厂有提供规范的说明书和专用订单表进行说明,如客户未按照或超越工厂的说明及规范要求,所产生的重做或质量问题工厂将不承担质保。

No warranty when your requirement out of our shutter manual specifications.

Factory will provide the shutter manual and the specification on order form for make rules. The shutter will not under our warranty If the shutter has quality problem or needs remake as customer do not base on our shutter manual.

三. 对于碰伤,刮伤,凹痕的质保要求

工厂会查阅内部的照片,如果照片上没有显示这个问题,我们就会认为是客户或者客户安装工的问题。

Warranty for shutter surface like damage,dents,scratch

Firstly, factory will check the photos taken by our QC people before packing. If there is no problem on the photo,that means the damage happen during transport. Customer should pay for the remake cost.



四. 色差及颜色

由于实际成品与色卡在制作时间、油漆批次及使用环境等因素的不同,会导致有色差的产生;工厂会控制不同批次之间的油漆以及颜色的测试与对比.但是无法控制客户手中色卡的使用环境及时间,所以因客户原因所造成的色卡颜色改变而导致无法匹配工厂的成品颜色,工厂将以合作商手中的色卡为准.如经销商手中色卡与成品一致,工厂不承担任何责任

样品箱内色卡, 随着使用次数增多, 磨损和跑色会比较严重, 所以每一年必须更新一次样品箱内的色卡。色卡端头必须用印章印上日期。

重做订单已超过12个月以上, 必须寄送原始色卡进行匹配。

The standard of warranty for colour difference

There will be have colour difference between products and samples as the different time for make color, purchase oil, and the use environmental . Factory will do their best to test and contrast the different batches of goods on oil and color to match up. But they can not control the use time and environmental for the sample of customer had have. So factory will not offer warranty when the products color match with sellers' sample color but different with the final customers' sample color . Also factory no any duty for customer to remake.

Customer should updated their colour sample in the sample case one year one time. The colour sample with stamp date on the colour sample to easier remember.

2. If the remake order more than 12 months from the day factory send out. The original color sample must be sent back to the factory to match the colour.

3.

五. 工厂留底照片

每套产品, 在包装之前, 工厂都会拍摄照片留底。如果客户安装产品之后有疑问, 需要提供照片。工厂会对比客户提供的照片和内部留底的照片。如果工厂留底照片证明没有这样的问题, 工厂将不承担免费补货的费用。(如尺寸不对, 开向不对, 边框不对等。)

Every shutter we sell out, we will take photo for the shutter before packing. So,if customer complain after they install the shutter. They need send us photos and show factory the problem they have. Once we get customer's photo and then we will find out our photos to compare. If we find out our products no same problem and then factory will not bear the cost for remake order.

六. 完工尺寸

由于此产品为木质材料，工厂允许完工尺寸有正负3mm的宽高误差值。如出现此范围内的尺寸误差要求工厂进行重做，那么将不被认可。

Complete measure

As the products material is wooden, they can have +/-3mm tolerance for width and drop measure. If customer needs remake as this +/-3mm tolerance, factory cannot accept.

订单表格 Regular Shutter Order Form

Customer Name 客户名: _____ Customer Order Ref. 订单号: _____ Production Date 下单日期: _____												Special Instructions 特殊说明: _____ Email PDF									
No 序号	Location 位置	Make Size 制作尺寸		Fit 安装方式	Panel Qty 扇数量	Blade Size 叶片尺寸	Material 材质	Colour 颜色	Layout Code 打开方式	Style 安装类型	Hinge Colour 合页颜色	Frame 边框				Tracks 滑道	Divider 中轨	T-Post Spacing T-post 位置	Light Block 挡光条	Control Type 拉杆类型	M2 平方米
		Width 宽度	Height 高度									Size 尺寸	Left 左	Right 右	Top 上						
1																					
2																					
3																					
4																					

第 1 页

Steps to ordering shutter

1. Enter client name order number and date you ordered.
2. Enter room location(when you need same quantity blade for shutter in same room,please remark.)
3. Make size for width & height,factory will not deduct any more.
4. Mount type enter either:
 - A)inside
 - B)outside
5. Panel quantity(enter the number you needed)
6. Blade size:choose from our blade drawing on page7.
7. Material: paulownia/PVC
8. Colour: choose from our colour on page 13.
9. Layout code: L means open to the left side, R means open to the right side.
10. Mount method

Hinged/sliding/bifold/magnet fixed/U channel

11.Hinge colour:

Match for white colour/brass/bronze/chrome/stainless steel

12.Frame size:choose from our frame drawing on page 8.

13.Left/right/top/bottom frame: If you need,fill"Yes",if you not need,fill"NO".

14.Track: yes or no

15.Divider: give us the exact number and position of the divider, example 1st:XX, ... If no need divider, please write"NO" in the blank.

16.T-post position: Normally when you ordered a shutter with T post and the T post position is not so important to you, we will divide each panel equally, so the T post position will be decided by us. In this situation, you do not need to tell us the T post position,Just write"Standard" in the blank.

When you ordered a shutter with T post and the T post should be fixed in some certain places, please let us know the T post position.

If it needs more than 1 T post ,please write 1st T-post, 2nd T-post.....,all the starting point should be from the left side.

17.Light block:yes or no

18.Tilt Rod type: center tilt rod/offset/clearview

19.Total square meter of the shutter.

华升的技能教学视频链接 Our skills teaching Video Link

- 内置拉杆更换叶片视频 [Replacing blades for hidden tilt rod](#)
- <https://youtu.be/44I82WLWytg>
- 中心木拉杆更换叶片视频 [Replacing blades for center tilt rod](#)
- <https://youtube.com/shorts/QxfYJP1S2Mk>
- 隐藏拉杆更换叶片视频 [Replacing blades for clearview rod](#)
- <https://youtube.com/shorts/llitCXb9eH4>
- 如何调整叶片闭合效果不好 [How to adjust screw when the blade is not closing properly](#)
- <https://youtube.com/shorts/-UQBNfMdjlQ>
- 如何测量和安装透气窗 [How to measure and install plantation shutter](#)
- <https://www.youtube.com/watch?v=i4ksUGZ1eJw>
- 铝合金透气窗如何更换叶片? How to replace aluminum shutter louver?
- https://youtu.be/5pO1G_Gli_A
- 叶片开关闭合有声音调整视频 louver opens and closes with noise adjustment videos
- <https://youtube.com/shorts/FLyalyUOLBU?feature=share>
- 木拉杆调整叶片视频 Center tilt rod to adjust louver video
- https://youtube.com/shorts/QL3t5_hpwok?feature=share